VP17-2, SST (1U/1L Warmer)

Height: 19.0" Width: 8.4" Depth: 18.8" (48.3cm) (21.3cm) (47.8cm)



- Pourover brewer requires no plumbing completely portable
- SplashGard® funnel deflects hot liquids away from the hand
- · All stainless steel construction
- Two individually controlled warmers
- PROP 65 Warning Decal included in packaging with equipment
- Servers not included unless otherwise noted

Server(s) sold separately

Agency:





Specifications

Product #: 13300.0002 Warmers: One Upper/ One Lower

Water Access: Not Plumbed

Finish: Stainless
Funnel: Black Plastic

Electrical & Capacity

| | | | | <i></i> | | | | | | |
|--------|-----|------|-------|------------------|------------|------------------------------|---------------------------------|-------|------------------------|-------|
| Volts* | | Amps | Watts | Cord Attached | Plug Type | 8oz cups/hr 236ml cups/hr | Input H ² O Temp. | Phase | # Wires plus Ground | Hertz |
| | 120 | 13.3 | 1600 | Yes | NEMA 5-15P | 62 | 60°F (15.5°C) | 1 | 2 | 60 |

"When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

| 1 idinang regardinanta | | | | | | | | |
|------------------------|-----|------------------|---------------------------|--|--|--|--|--|
| PSI | kPa | Fitting Supplied | Water Flow Required (GPM) | | | | | |
| - | - | - | - | | | | | |


CAD Drawings

Additional Features

| 2D | Revit | KLC |
|----|-------|-----|
| • | | |

MARNING: This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov





| Unit | | | | Shipping | | | | |
|---------|----------|---------|----------|----------|----------|----------|------------|-----------------------|
| | Height | Width | Depth | Height | Width | Depth | Weight | Volume |
| English | 19.0 in. | 8.4 in. | 18.8 in. | 23.8 in. | 12.5 in. | 26.5 in. | 27.450 lbs | 4.566 ft ³ |
| Metric | 48.3 cm | 21.3 cm | 47.8 cm | 60.3 cm | 31.8 cm | 67.4 cm | 12.451 kgs | 0.129 m³ |



Related Products & Accessories: VP17-2, SST (1U/1L Warmer)(13300.0002)



FUNNEL W/DECAL,PPK NAR BLK(SM)

Product #: 02774.0011



FUNNEL W/DECAL,PPK NAR BLK(LG)

Product #: 04274.0012



WX2, 120V

Product #: 06310.0004



WX1, 120V

Product #: 06450.0004



Product #: 20115.0000



FUNNEL ASSY, SST-BLK HDL(7.12

Product #: 20216.0000



FUNNEL ASSY, SST-PP BLK HNDL

Product #: 29151.0000



FUNNEL ASSY,SST-PP ORANGE HDL

Product #: 29151.0001



Serving & Holding Options: VP17-2, SST (1U/1L Warmer)(13300.0002)



EASY POUR®,(BLK) 1/CS

Product #:06100.0101



EASY POUR®,(BLK) 2/CS

Product #:06100.0102



EASY POUR®, (BLK) 3/CS

Product #:06100.0103



EASY POUR®, (BLK) 6/CS

Product #:06100.0106



EASY POUR®,(BLK) 12/

Product #:06100.0112



EASY POUR®,(BLK) 24/

Product #:06100.0124



EASY POUR®,(ORN) 1/

Product #:06101.0101



EASY POUR®,(ORN) 2/

Product #:06101.0102



EASY POUR®,(ORN) 3/

Product #:06101.0103



EASY POUR®,(ORN) 24/ CS

Product #:06101.0124



DECANTER,GLASS-BLK 12C 24/CS

Product #:42400.0024



DECANTER,GLASS-BLK 12CUP 1PK

Product #:42400.0101



DECANTER,GLASS-BLK 12C 3/CS

Product #:42400.0103



DECANTER,GLASS-ORN 12C 24/CS

Product #:42401.0024



DECANTER, GLASS-ORN 12 CUP 1PK

Product #:42401.0101



12C 3/CS

Product #:42401.0103